Author Index of Volume 166

Aguilera, A., *see* Costas, E.
Aitken-Ander, P., *see* Borowsky, B.
Aksnes, D.L., *see* Utne, A.C.W.

Borowsky, B., Aitken-Ander, P. and Tanacredi, J.T., The effects of low doses of waste crankcase oil on *Melita nitida* Smith (Crustacea:Amphipoda) 39

Chia, F.-S., *see* Qian, P.-Y.
Costas, E., Gil, S.G., Aguilera, A. and Rodas, V.L., An apparent growth factor modulation of marine dinoflagellate excystment 241

de Visscher, P., *see* Pérez-Lloréns, J.L.
Dix, T.L. and Hamilton, P.V., Chemically mediated escape behavior in the marsh periwinkle *Littoraria irrorata* Say 135

Freshwater, D., Cytophotometric estimation of inter- and intraspecific variation in nuclear DNA content in ten taxa of the Gelidiales (Rhodophyta) 231
Fris, M.B. and Horn, M.H., Effects of diets of different protein content on food consumption, gut retention, protein conversion, and growth of *Cebidichthys violaceus* (Girard), an herbivorous fish of temperate zone marine waters 185

Gil, S.G., *see* Costas, E.
Giske, J., *see* Utne, A.C.W.

Hamilton, P.V., *see* Dix, T.L.
Hansen, B., Aspects of feeding, growth and stage development by trochophora larvae of the boreal polychaete *Mediomastus fragile* (Rasmussen) (Capitellidae) 273
Horn, M.H., *see* Fris, M.B.

Lohse, D.P., The importance of secondary substratum in a rocky intertidal community 1

Meese, R.J., Effects of predation by birds on gooseneck barnacle *Pollicipes polymerus* Sowerby distribution and abundance 47
Montagna, P.A., *see* Webb, D.G.

Niell, F.X., *see* Pérez-Lloréns, J.L.
Nienhuis, P.H., *see* Pérez-Lloréns, J.L.
Nishimura, A., Occurrence of a check in otoliths of reared and sea-caught larval walleye pollock *Theragra chalcogramma* (Pallas) and its relationship to events in early-life history 175

Pérez-Lloréns, J.L., de Visscher, P., Nienhuis, P.H. and Niell, F.X., Light-dependent uptake, translocation and foliar release of phosphorus by the intertidal seagrass *Zostera noltii* Hornem. 165

Qian, P.-Y. and Chia, F.-S., Larval development as influenced by food limitation in two polychaetes: *Capitella* sp. and *Polydora ligni* Webster 93

Robb, J., *see* Robles, C.
Robles, C. and Robb, J., Varied carnivore effects and the prevalence of intertidal algal turfs 65

Rodas, V.L., *see* Costas, E.

Shanks, A.L., *see* Wright, W.G.
Sheild, C.J. and Witman, J.D., The impact of *Henricia sanguinolenta* (O. F. Müller) (Echinodermata: Asteroidea) predation on the finger sponges, *Isodictya* spp. 107
Sousa, W.P., Size-dependent predation on the salt-marsh snail *Cerithidea californica* Haldeman 19

Tanacredi, J.T., *see* Borowsky, B.
Todd, C.D., *see* Turner, S.J.
Turner, S.J. and Todd, C.D., The early development of epifaunal assemblages on artificial substrata at two intertidal sites on an exposed rocky shore in St. Andrews Bay, N.E. Scotland 251

Utne, A.C.W., Aksnes, D.L. and Giske, J., Food, predation risk and shelter: an experimental study on the distribution of adult two-spotted goby *Gobiusculus flavescens* (Fabricius) 203

Webb, D.G. and Montagna, P.A., Initial burial and subsequent degradation of sedimented phytoplankton: relative impact of macro- and meiobenthos 151
Witman, J.D., *see* Sheild, C.J.
Wright, W.G. and Shanks, A.L., Previous experience determines territorial behavior in an archaeogastropod limpet 217